

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(702/17 702/152 73/40.5 73/624 381/71.2 381/92) and ((filter\$3 with electrical with signal) and (digitiz\$3 with electrical with signal) and ((detect\$3 sens\$3) with noise with source) and ((signal with emitt\$3) same (noise with source))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:53
L2	0	(702/17 702/152 73/40.5 73/624 381/71.2 381/92) and ((filter\$3 with electrical with signal) and (digitiz\$3 with electrical with signal) and ((detect\$3 sens\$3) with noise with source) and ((signal with emitt\$3) same (noise with source))).clm.	US-PGPUB	OR	ON	2005/08/18 10:53
L3	2	((filter\$3 with electrical with signal) and (digitiz\$3 with electrical with signal) and ((detect\$3 sens\$3) with noise with source) and ((signal with emitt\$3) same (noise with source))).clm.	US-PGPUB	OR	ON	2005/08/18 10:54
L4	2	("702"/\$.ccls. "324"/\$.ccls. "73"/\$.ccls. "381"/\$.ccls.) and ((filter\$3 with electrical with signal) and (digitiz\$3 with electrical with signal) and ((detect\$3 sens\$3) with noise with source) and ((signal with emitt\$3) same (noise with source))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/18 10:55
L5	2	("702"/\$.ccls. "324"/\$.ccls. "73"/\$.ccls. "381"/\$.ccls.) and ((filter\$3 with electrical with signal) and (digitiz\$3 with electrical with signal) and ((detect\$3 sens\$3) with noise with source) and ((signal with emitt\$3) same (noise with source))).clm.	US-PGPUB	OR	ON	2005/08/18 10:55